Correction: Use of ethylene-oxide gas sterilisation to terminate multidrug-resistant bacterial outbreaks linked to duodenoscopes

Muscarella LF. Use of ethylene-oxide gas sterilisation to terminate multidrug-resistant bacterial outbreaks linked to duodenoscopes. *BMJ Open Gastroenterol* 2019;6:e000282. doi: 10.1136/bmjgast-2019-000282.

The article has been corrected since it is published.

1. In Abstract's 'Conclusions', 'Factors this review identified' has been corrected to 'Factors this review identified'.
2. In Table 1, in the column 'Case's implemented measure(s), response', 'Began culturing, quaranting duodenoscopes' has been corrected to 'Began culturing, quarantining duodenoscopes'.
3. In the section 'More about EO gas sterilisation' under 'Discussion', the spelling of 'endeavour' has been changed to 'endeavor' in the sentence 'Some of these devices may be labelled soon for the sterilisation of duodenoscopes too, as manufacturers endeavour to develop effective technologies to increase the safety of ERCP.'
4. 'ie,' and 'eg,' have been used consistently throughout the article.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

BMJ Open Gastro 2019;6:e000282corr1. doi:10.1136/bmjgast-2019-000282corr1